


Alienware AW2721D computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black, White

Brand : Alienware

Product code: GAME-AW2721D

Product name : AW2721D

Alienware AW2721D. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, White



| Display | | Ergonomics | |
|------------------------------------|-------------------------|---|-------------|
| Display diagonal * | 68.6 cm (27") | Height adjustment | 13 cm |
| Display resolution * | 2560 x 1440 pixels | Pivot | ✓ |
| HD type * | Quad HD | Pivot angle | -90 - 90° |
| Native aspect ratio * | 16:9 | Swivelling | ✓ |
| Display technology * | LCD | Swivel angle range | -20 - 20° |
| Panel type * | IPS | Tilt adjustment | ✓ |
| Backlight type | LED | Tilt angle range | -5 - 21° |
| Touchscreen * | ✗ | On Screen Display (OSD) | ✓ |
| Display brightness (typical) | 450 cd/m ² | Plug and Play | ✓ |
| Response time * | 1 ms | | |
| Anti-glare screen | ✓ | Power | |
| Screen shape * | Flat | Energy efficiency class (SDR) * | G |
| Supported video modes | 480p, 576p, 720p, 1080p | Energy efficiency class (HDR) * | F |
| Aspect ratio | 16:9 | Energy consumption (SDR) per 1000 hours * | 31 kWh |
| Contrast ratio (typical) * | 1000:1 | Energy consumption (HDR) per 1000 hours * | 22 kWh |
| Maximum refresh rate * | 240 Hz | Power consumption (typical) * | 31 W |
| Viewing angle, horizontal | 178° | Power consumption (standby) * | 0.3 W |
| Viewing angle, vertical | 178° | Power consumption (max) | 95 W |
| Display number of colours * | 1.07 billion colours | Power consumption (off) | 0.2 W |
| Response time (fast) | 3 ms | AC input voltage | 100 - 230 V |
| Pixel pitch | 0.2331 x 0.2331 mm | AC input frequency | 50 - 60 Hz |
| Pixel density | 109 ppi | Input current | 1.8 A |
| Horizontal scan range | 30 - 255 kHz | Power supply type | Internal |
| Vertical scan range | 24 - 240 Hz | Energy efficiency scale | A to G |
| Viewable size, horizontal | 59.7 cm | European Product Registry for Energy Labelling (EPREL) code | 352625 |
| Viewable size, vertical | 33.6 cm | | |
| Viewable size diagonal | 68.5 cm | Operational conditions | |
| High Dynamic Range (HDR) supported | ✓ | Operating temperature (T-T) | 0 - 40 °C |

| | | | |
|--------------------------------------|-----------------------|-----------------------------------|---|
| Display | | Operational conditions | |
| sRGB coverage (typical) | 131% | Storage temperature (T-T) | -20 - 60 °C |
| DCI-P3 coverage | 98% | Operating relative humidity (H-H) | 10 - 80% |
| Performance | | Storage relative humidity (H-H) | 5 - 90% |
| NVIDIA G-SYNC * | ✓ | Operating altitude | 0 - 5000 m |
| NVIDIA G-SYNC type | G-SYNC ULTIMATE | Non-operating altitude | 0 - 12192 m |
| AMD FreeSync * | ✗ | Weight & dimensions | |
| Flicker-free technology | ✓ | Width (with stand) | 607.7 mm |
| Multimedia | | Depth (with stand) | 251.9 mm |
| Built-in speaker(s) * | ✗ | Height (with stand) | 555.3 mm |
| Built-in camera * | ✗ | Weight (with stand) | 10.6 kg |
| Design | | Width (without stand) | 607.7 mm |
| Market positioning * | Gaming | Depth (without stand) | 82.4 mm |
| Product colour * | Black, White | Height (without stand) | 356 mm |
| Front bezel colour | Black | Weight (without stand) | 6.3 kg |
| Detachable stand | ✓ | Bezel width (side) | 5.5 mm |
| Ports & interfaces | | Bezel width (top) | 5.5 mm |
| Built-in USB hub * | ✓ | Bezel width (bottom) | 1.49 cm |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Packaging data | |
| Number of upstream ports | 1 | Package width | 259.1 mm |
| USB Type-A downstream ports quantity | 4 | Package depth | 741.9 mm |
| DVI port | ✗ | Package height | 524 mm |
| HDMI * | ✓ | Package weight | 15.5 kg |
| HDMI ports quantity | 2 | USB cable length | 1.8 m |
| HDMI version | 2.0 | Packaging content | |
| DisplayPorts quantity | 1 | Stand included | ✓ |
| DisplayPort version | 1.4 | Cables included | AC, DisplayPort, DisplayPort to Mini DisplayPort, USB |
| Headphone out * | ✓ | Quick start guide | ✓ |
| Headphone outputs | 1 | DisplayPort cable length | 1.8 m |
| Network | | Other features | |
| Wi-Fi | ✗ | On/off switch | ✓ |
| Ergonomics | | Heavy metals free | Hg (mercury) |
| VESA mounting * | ✓ | Logistics data | |
| Panel mounting interface | 100 x 100 mm | Harmonized System (HS) code | 85285210 |
| Cable lock slot * | ✓ | | |
| Height adjustment * | ✓ | | |



5397184200858

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-OCT-2024. Prints or copies of Information are only valid on the printed Publication date