# SureFire Eagle Claw Gaming Mouse

Brand : SureFire

Product code: 48817

**Product name :** Eagle Claw Gaming Mouse

- Programmable 9-button gaming mouse
- Full RGB LED Lighting
- Buttons and lighting adjustable via software
- Adjustable DPI (600/800/1200/1600/2400/3200 DPI)
- 1000Hz polling rate
- 1.5m braided cable

Optical, 3200 DPI, 1000 Hz, 70G, 6000 FPS, 66 ips, RGB, USB, 126 x 80 x 39 mm, 150 g
SureFire Eagle Claw Gaming Mouse. Form factor: Right-hand. Movement detection technology: Optical, Device interface: USB Type-A, Movement resolution: 3200 DPI, Frame rate: 6000 fps, Buttons type: Pressed buttons, Buttons quantity: 9, Scroll type: Wheel, Acceleration (max): 22 G. Illumination colour: Blue, Green, Red. Power source: Cable. Product colour: Black

Mouse

Number of scroll wheels	1
Scrolling directions	Vertical
Purpose *	Gaming
Device interface *	USB Type-A
Movement detection technology *	Optical
Movement resolution *	3200 DPI
Buttons type	Pressed buttons
Scroll type *	Wheel
Programmable mouse buttons	✔
Buttons quantity *	9
Number of programmable buttons	9
Buttons durability (million clicks)	5000000
Mouse tracking speed	66 ips
Recommended usage	Universal
Customizable movement resolution	✔
Number of movement resolution modes	6
Acceleration (max)	22 G
Frame rate	6000 fps
Adjustable polling rate	✔
Polling rate	125,250,500,1000 Hz

Design

Form factor *	Right-hand
Ergonomic design	✔
Product colour *	Black
Surface coloration	Monochromatic
Material	Plastic
Illumination	✔
Illumination colour	Blue, Green, Red

Power

Power source *	Cable
Power consumption	100 mA

System requirements

Windows operating systems supported	Windows 10, Windows 7, Windows 8
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks

Operational conditions

Operating temperature (T-T)	-20 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	25 - 75%

Weight & dimensions

Width	80 mm
Depth	126 mm
Height	39 mm
Weight	150 g

Packaging data

Quantity per pack *	1 pc(s)
Package width	150 mm
Package depth	50 mm
Package height	200 mm

Ergonomics

Cable length	1.5 m
Plug and Play	✓

Packaging data

Package weight	256 g
Package type	Box

Sustainability

Compliance certificates	RoHS

Logistics data

Country of origin	China
Products per master (outer) case	10 pc(s)
Master (outer) case width	270 mm
Master (outer) case length	320 mm
Master (outer) case height	220 mm
Master (outer) case gross weight	3.1 kg

0023942488170

023942488170

Publication date: 22-OCT-2024. Prints or copies of Information are only valid on the printed Publication date