/505

ASUS ROG Swift OLED PG34WCDM computer monitor 86.2 cm (33.9") 3440 x 1440 pixels UltraWide Quad HD LCD Black

Brand : ASUS

Product family: ROG Swift OLED

Product code: 90LM09L0-B01A70

Product name : PG34WCDM

ROG Swift OLED PG34WCDM gaming monitor — 34-inch (33.9 inch viewable, 3440 x 1440) 800R curved OLED panel, 240 Hz, 0.03 ms (GTG) response time, G-SYNC compatible, custom heatsink, uniform brightness, ROG Smart KVM, 90 W Type-C, and ASUS DisplayWidget Center

ASUS ROG Swift OLED PG34WCDM computer monitor 86.2 cm (33.9") 3440 x 1440 pixels UltraWide Quad HD LCD Black:

TRANSCENDENCE

Push the limits of gaming with ROG Swift OLED PG34WCDM ultrawide curved gaming monitor. It features a 34-inch 3rd generation ROG OLED technology panel that offers 30% brighter imagery compared to its predecessor with 100% window in HDR, color-fringing reduction, and ASUS Extreme Low Motion Blur (ELMB) technology. A 240 Hz refresh rate and typo 0.03 ms gray-to-gray (GTG) response time ensure incredibly immersive virtual worlds without motion blur or screen tearing. Plus, an advanced custom heatsink design reduces the risk of burn-in to improve performance and longevity of the OLED panel.



Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Response time * Anti-glare screen	UltraWide Quad HD * 21:9 * LCD OLED X 0.03 ms ✓	HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Headphone outputs Built-in KVM switch HDCP	2 2.1 1 1.4 • •
Screen shape *	Curved	HDCP version	2.2
Screen curvature rating Contrast ratio (typical) *	800R 1500000:1 240 Hz 178° 178° 1.073 billion colours 0.231 x 0.231 mm 79.5 cm 33.3 cm 30 - 390 kHz 40 - 240 Hz ✓ DisplayHDR 400 True Black, High Dynamic Bange 10 (HDP10)	Ergonomics	
Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Viewable size, horizontal Viewable size, vertical Digital horizontal frequency Digital vertical frequency High Dynamic Range (HDR) supported High Dynamic Range (HDR)		VESA mounting * Panel mounting interface Wall mountable Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Swivelling Swivel angle range Tilt adjustment Tilt angle range	 100 x 100 mm 100 x 100 mm 10 x 100 mm 10 x 100 mm 11 cm 11 cm 15 - 15° -5 - 20°
technology	Dynamic Range 10 (HDR10)	Power	
Colour gamut standard Colour gamut sRGB coverage (typical)	DCI-P3 99% 135%	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours *	F F 30 kWh

Performance		Power	
NVIDIA G-SYNC * NVIDIA G-SYNC type	✓ G-SYNC Compatible	Energy consumption (HDR) per 1000 hours *	31 kWh
AMD FreeSync *		Power consumption (typical) *	31 W
AMD FreeSync type	FreeSync Premium Pro	Power consumption (off)	0.3 W
	-	Power consumption (PowerSave)	0.5 W
VESA Adaptive Sync support		AC input voltage	100 - 240 V
Flicker-free technology	 Image: A second s	AC input frequency	50/60 Hz
Low Blue Light technology	1	Energy efficiency scale	A to G
Game mode	1	European Product Registry for Energy Labelling (EPREL) code	1815319
Multimedia		Weight & dimensions	
Built-in speaker(s) *	×	Width (with stand)	786 mm
Built-in camera *	×	Depth (with stand)	293 mm
Design		Height (with stand)	551 mm
Market positioning *	Gaming	Weight (with stand)	8.4 kg
Product colour *	Black	Width (without stand)	786 mm
Illuminated stand	1	Depth (without stand)	275 mm
Feet colour	Black	Height (without stand)	551 mm
Ports & interfaces		Weight (without stand)	5.6 kg
Built-in USB hub *	1	Packaging data	
USB hub version	• 2.0 / 3.2 Gen 1 (3.1 Gen 1)	Package width	890 mm
USB Type-A downstream ports		Package depth	465 mm
quantity	3	Package height	291 mm
USB Type-C downstream ports quantity	1	Package weight Package type	13.5 kg Box
USB Type-C DisplayPort Alternate Mode	1	Other features	
USB Power Delivery (USB PD)	1	Motion blur reduction	1
USB Power Delivery up to	90 W		
HDMI *	1		





4711387307014

0197105319851



197105319851

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.