

## Alienware AW2523HF LED display 62.2 cm (24.5") 1920 x 1080 pixels Full HD LCD Black

**Brand :** Alienware

**Product code:** GAME-AW2523HF

**Product name :** AW2523HF

Alienware AW2523HF. Display diagonal: 62.2 cm (24.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 0.5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	62.2 cm (24.5")	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100 mm
HD type *	Full HD	Cable management	✓
Native aspect ratio *	16:9	Cable lock slot *	✓
Display technology *	LCD	Height adjustment *	✓
Panel type *	IPS	Adjustable height (max)	11 cm
Backlight type	W-LED	Pivot	✓
Touchscreen *	✗	Pivot angle	-90 - 90°
Display brightness (typical)	400 cd/m²	Swivelling	✓
Response time *	0.5 ms	Swivel angle range	-20 - 20°
Anti-glare screen	✓	Tilt adjustment	✓
Screen shape *	Flat	Tilt angle range	-5 - 21°
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800, 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	On Screen Display (OSD)	✓
		Plug and Play	✓
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080p, 2160p	LED indicators	Power, Stand-by
Contrast ratio (typical) *	1000:1	Power	
Maximum refresh rate *	360 Hz	Energy efficiency class (SDR) *	E
Viewing angle, horizontal	178°	Energy efficiency class (HDR) *	G
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	16 kWh
Display number of colours *	16.78 million colours	Power consumption (typical) *	15.8 W
Response time (fast)	3 ms	Power consumption (standby) *	0.3 W
Pixel pitch	0.2829 x 0.2829 mm	Power consumption (max)	74.5 W
Pixel density	89.91 ppi	Power consumption (off)	0.3 W
Viewable size, horizontal	54.3 cm	AC input voltage	100 - 240 V
Viewable size, vertical	30.3 cm	AC input frequency	50 - 60 Hz
		Input current	1.5 A

Display		Power	
Viewable size diagonal	6.22 cm	Power supply type	Internal
Display diagonal (metric)	62.18 cm	Energy efficiency scale	A to G
High Dynamic Range (HDR) supported	✓	European Product Registry for Energy Labelling (EPREL) code	1253618
Surface hardness	3H	Operational conditions	
Colour depth	8 bit	Operating temperature (T-T)	0 - 40 °C
sRGB coverage (typical)	99%	Storage temperature (T-T)	-20 - 60 °C
Dell ComfortView technology	✓	Operating relative humidity (H-H)	10 - 80%
Response time (extreme)	0.5 ms	Storage relative humidity (H-H)	5 - 90%
Heat dissipation	254.37 BTU/h	Operating altitude	0 - 5000 m
Heat dissipation (typical)	55.69 BTU/h	Non-operating altitude	0 - 12192 m
Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	555.2 mm
AMD FreeSync *	✓	Depth (with stand)	243.7 mm
AMD FreeSync type	FreeSync Premium	Height (with stand)	390.2 mm
VESA Adaptive Sync support	✓	Weight (with stand)	5.4 kg
Flicker-free technology	✓	Width (without stand)	555.2 mm
Smart modes	FPS, RPG, Sports	Depth (without stand)	66.7 mm
Multimedia		Height (without stand)	325.8 mm
Built-in speaker(s) *	✗	Weight (without stand)	3.45 kg
Built-in camera *	✗	Bezel width (side)	5.9 mm
Design		Bezel width (top)	5.72 mm
Market positioning *	Gaming	Bezel width (bottom)	1.75 cm
Product colour *	Black	Packaging data	
Front bezel colour	Black	Package width	224 mm
Detachable stand	✓	Package depth	705.1 mm
Feet colour	Black	Package height	460 mm
Ports & interfaces		Package weight	9 kg
Built-in USB hub *	✓	USB cable length	1.8 m
Number of upstream ports	1	Packaging content	
Number of USB Type-B upstream ports quantity	1	Stand included	✓
USB Type-A downstream ports quantity	4	Cables included	AC, DisplayPort, DisplayPort to Mini DisplayPort, USB Type-A to Micro-USB Type-B
HDMI *	✓	Quick start guide	✓
HDMI ports quantity	2	DisplayPort cable length	1.8 m
HDMI version	2.0	Sustainability	
DisplayPorts quantity	1	Sustainability certificates	ENERGY STAR
DisplayPort version	1.4	Doesn't contain	PVC/BFR
Headphone out *	✓	Other features	
Headphone outputs	1	Heavy metals free	Hg (mercury)
Headphone connectivity	3.5 mm	Brand-specific features	
HDCP	✓	Dell Display Manager (DDM) compatibility	✓
HDCP version	2.2		
Charging port type	DC-in jack		
DC-in jack	✓		
Network			
Wi-Fi	✗		



5397184656938



5715063228289

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-JAN-2025. Prints or copies of Information are only valid on the printed Publication date