GIGABYTE B760M GAMING PLUS WIFI DDR4 Motherboard - Supports 14th Gen. Intel Core CPUs, 4+1+1 phases VRM, up to 5333MHz DDR4 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6, 1 GbE LAN, USB 3.2 Gen 1

Brand : GIGABYTE **Product code:** B760M G P WIFI DDR4

Product name : B760M GAMING PLUS WIFI DDR4 Motherboard - Supports 14th Gen. Intel Core CPUs, 4+1+1 phases VRM, up to 5333MHz DDR4 (OC), 2xPCle 4.0 M.2, Wi-Fi 6, 1 GbE LAN, USB 3.2 Gen 1

B760M GAMING PLUS WIFI DDR4 Motherboard - Supports 14th Gen. Intel Core CPUs, 4+1+1 phases VRM, up to 5333MHz DDR4 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6, 1 GbE LAN, USB 3.2 Gen 1

GIGABYTE B760M GAMING PLUS WIFI DDR4 Motherboard - Supports 14th Gen. Intel Core CPUs, 4+1+1 phases VRM, up to 5333MHz DDR4 (OC), 2xPCle 4.0 M.2, Wi-Fi 6, 1 GbE LAN, USB 3.2 Gen 1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge





Processor		Network	
Processor manufacturer *	Intel	Ethernet LAN	✓
Processor socket *	LGA 1700	Ethernet interface type	Gigabit Ethernet
	Intel® Celeron®, Intel Core i3 12th	LAN controller	Realtek RTL8111H
Compatible processor series *	Gen, Intel Core i3 13th Gen, Intel Core i3 14th Gen, Intel Core i5 12th Gen, Intel Core i5 13th Gen, Intel Core i5 14th Gen, Intel Core i7 12th Gen, Intel Core i7 13th Gen, Intel Core i7 14th Gen, Intel Core i9 12th Gen, Intel Core i9 13th Gen, Intel Core i9 14th Gen, Intel® Pentium®	Wi-Fi *	✓
		Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
		Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
		WLAN controller model	Realtek RTL8851BE
Supported processor sockets	LGA 1700	Bluetooth	✓
Maximum internal memory	128 GB	Bluetooth version	5.3
supported by processor	120 05	Features	
Supported memory types * DDR4-SDRAM Number of memory slots * 4 Memory slots type DIMM		Motherboard chipset *	Intel B760
Memory channels Dual-channel ECC compatibility ECC & Non-ECC		Audio chip	Realtek ALC897
Supported memory clock speeds 2133,2400,2666,2933,3000,3200,3300,3333,3400,3466,36 Mitz 6max) 5333 MHz 5333 MHz	300,3666,3733,3800,3866,4000,4133,4266,4300,4400,4500,4600,4700,4800,4933,5000,5133,533	Audio output channels *	7.1 channels
Maximum internal memory 128 GB Unbuffered memory		Product colour	Grey
Maximum internal memory per slot: 32 GB Storage controllers		PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported storage drive types	HDD & SSD	Component for *	PC
Supported storage drive interfaces *	M.2, SATA III	Motherboard form factor *	micro ATX
Number of HDDs supported	4	Motherboard chipset family *	Intel
Number of storage drives supported	6	Power source type	ATX
RAID support	✓	Windows operating systems	Windows 10 x64. Windows 11 x64
RAID levels	0, 1, 5, 10	supported	,
Graphics		Expansion slots	
Parallel processing technology	Malanasadad	PCI Express x1 (Gen 3.x) slots	2
support *	Not supported	PCI Express x16 (Gen 4.x) slots	1
Maximum resolution	4096 x 2304 pixels	Number of M.2 (M) slots	2
		1st M.2 largest key size	2280

Graphics		Expansion slots	
HDCP	✓	1st M.2 highest PCI Express	4.0
DirectX version	12.0	generation	4.0
Internal I/O		2nd M.2 largest key size	2280
USB 2.0 connectors *	2	2nd M.2 highest PCI Express generation	4.0
USB 3.2 Gen 1 (3.1 Gen 1)		BIOS	
connectors *	2	BIOS type *	UEFI AMI
Number of SATA III connectors *	4	BIOS memory size	128 Mbit
S/PDIF out connector	✓	ACPI version	5.0
Front panel audio connector	✓	Clear CMOS jumper	✓
Front panel connector	•	Desktop Management Interface	2.7
ATX Power connector (24-pin)	✓	(DMI) version	,
CPU fan connector	1	System Management BIOS (SMBIOS) version	2.7
Number of CPU fan connectors Number of chassis fan connectors	1 3	Logistics data	
EPS power connector (8-pin)	√	Country of origin	China
Number of EPS power connectors		Products per shipping (inner) case	1 pc(s)
(8-pin)	1	Battery	
TPM connector	✓	Battery weight	3 g
Parallel connector	✓	Lithium weight per battery	0.07 g
Serial port headers	1	Number of battery cells	1
RGB LED pin header	✓	Battery technology	Lithium-Manganese Dioxide
Number of RGB LED pin headers	2	Battery type	(LiMnO2) CR2032
Rear panel I/O ports			CIVEUSE
USB 2.0 ports quantity *	2	Packaging data	270
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Package width Package depth	270 mm 268 mm
Ethernet LAN (RJ-45) ports *	1	Package height	68 mm
PS/2 ports quantity	1	Package weight	1.2 kg
HDMI ports quantity *	1	Weight & dimensions	
HDMI version	2.1	Width	244 mm
DisplayPorts quantity	1	Depth	244 mm
DisplayPort version Headphone outputs	1.2 1	Height	35 mm
Line-in	· ✓	Packaging content	
WiFi-AP antenna jack	2	Batteries included	✓
•		Antenna included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	1.1 kg
		Technical details	
		Warranty period	3 year(s)
		received fraction	- , (-)



4719331862855

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.