## **GIGABYTE B850M GAMING X WIFI6E Motherboard - AMD Ryzen** 9000 Series CPUs, 10+2+2 Phases Digital VRM, up to 8200MHz DDR5 (OC), 1xPCle 5.0 + 1xPCle 4.0 M.2, 2.5LAN, WIFI 6E, USB 3.2 Gen 2

Product code: B850M GAMING X

WF6E





- Twin 10+2+2 Phases Digital VRM with DrMOS

- Dual Channel DDR5∏4\*DIMMs

2.5LAN, WIFI 6E, USB 3.2 Gen 2

**Brand:** GIGABYTE

- PCIe Gen5 x16 with PCIe UD Slot & EZ-Latch Plus

- M.2 Gen5 with EZ-Latch Plus, Advanced MOSFET Heatsinks

Product name: B850M GAMING X WIFI6E Motherboard -AMD Ryzen 9000 Series CPUs, 10+2+2 Phases Digital VRM, up to 8200MHz DDR5 (OC), 1xPCle 5.0 + 1xPCle 4.0 M.2,

- Wi-Fi 6E with WIFI EZ-Plug, & Directional Antenna

- 2.5GbE LAN. O-Flash Plus

B850M GAMING X WIFI6E Motherboard - AMD Ryzen 9000 Series CPUs, 10+2+2 Phases Digital VRM, up to 8200MHz DDR5 (OC), 1xPCle 5.0 + 1xPCle 4.0 M.2, 2.5LAN, WIFI 6E, USB 3.2 Gen 2

GIGABYTE B850M GAMING X WIFI6E Motherboard - AMD Ryzen 9000 Series CPUs, 10+2+2 Phases Digital VRM, up to 8200MHz DDR5 (OC), 1xPCle 5.0 + 1xPCle 4.0 M.2, 2.5LAN, WIFI 6E, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

Processor			Rear panel I/O ports	
Processor manufacturer *		AMD	Headphone outputs	1
Processor socket *		Socket AM5	Microphone in	✓
		8000 Series, AMD Ryzen 9000	WiFi-AP antenna jack	2
Compatible processor series *			Network	
Supported processor sockets		Socket AM5	Ethernet LAN	✓
Memory	DDR5-SDRAM		Ethernet interface type	2.5 Gigabit Ethernet
Number of memory slots *	4 DIMM		Wi-Fi *	<b>√</b>
Memory channels	Dual-channel Non-ECC		Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported memory clock speeds		00,6400,6600,6800,7000,7200,7400,7600,7800,7900,7950,8000,8200	·	802.11a, 802.11b, 802.11g, Wi-Fi 4
Supported memory clock speed (max)	orted memory clock speed 8200 MHz		Wi-Fi standards	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
	/		WLAN controller model	Realtek RTL8852CE
Storage controllers			Bluetooth	✓
Supported storage drive types HDD & SSD			Bluetooth version	5.3
Supported storage drive types MDD & 33D  Supported storage drive interfaces * M.2, SATA III			Features	
Number of HDDs supported		4	Motherboard chipset *	AMD B850
Number of storage drives supported		6	Audio chip	Realtek ALC897
RAID support		✓	Audio output channels *	7.1 channels
RAID levels		0, 1, 10	Product colour	Brown
Graphics			PC health monitoring	Fan, Temperature, Voltage, Water cooling
Parallel processing technology		Not supported	Component for *	PC
Support *			Motherboard form factor *	micro ATX
On-board graphics card		×	Motherboard chipset family *	AMD
Maximum resolution		4096 x 2160 pixels	Power source type	ATX
HDCP		<b>V</b>	Windows operating systems	Windows 10 x64, Windows 11 x64
DirectX version		12.0	supported	
Internal I/O			Expansion slots	
USB 2.0 connectors *		2	PCI Express x16 (Gen 3.x) slots	1

Internal I/O		Expansion slots	
			1
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	PCI Express x16 (Gen 5.x) slots Number of M.2 (M) slots	1 2
USB 3.2 Gen 2 (3.1 Gen 2)	1	1st M.2 largest key size	25110
connectors * Number of SATA III connectors *	4	1st M.2 highest PCI Express generation	5.0
Front panel audio connector	<b>✓</b>	2nd M.2 largest key size	22110
Front panel connector	/	2nd M.2 highest PCI Express	
ATX Power connector (24-pin)	/	generation	4.0
CPU fan connector	<b>√</b>	BIOS	
Number of CPU fan connectors	2	BIOS type *	UEFI AMI
Peripheral (Molex) power connectors (4-pin)	1	BIOS memory size ACPI version	256 Mbit 5.0
EPS power connector (8-pin)	✓	Clear CMOS jumper	1
Number of EPS power connectors (8-pin)	1	Clear CMOS button	✓
TPM connector	✓	Desktop Management Interface (DMI) version	2.7
Serial port headers	1	System Management BIOS	2.7
12V power connector	✓	(SMBIOS) version	2.7
Number of water pump connectors	2	Logistics data	
RGB LED pin header	✓	Country of origin	China
Number of RGB LED pin headers	4	Products per shipping (inner) case	1 pc(s)
Rear panel I/O ports		Battery	
USB 2.0 ports quantity *	4	Battery weight	3 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2	Lithium weight per battery	0.07 g
ports quantity *		Number of battery cells	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Battery type	CR2032
Ethernet LAN (RJ-45) ports *	1	Packaging data	
HDMI ports quantity *	1	Package width	270 mm
HDMI version	2.1	Package depth	268 mm
DisplayPorts quantity	1	Package height	68 mm
DisplayPort version	2.1	Package weight	1.75 kg
		Weight & dimensions	
		Width	244 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	<b>✓</b>
		Antenna included	<b>✓</b>
		Screws included	<b>✓</b>
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	1.54 kg
		Technical details	
		Warranty period	3 year(s)
		Taller period	- , - a. (-)



4719331866433

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.