## GIGABYTE G34WQCP 34" UWQHD Curved Gaming Monitor - 3440 x 1440, 1500R, 180Hz, 1ms, 350 cd/m2, AMD FreeSync Premium, DisplayHDR 400, HDMI 2.0, Displayport 1.4

Brand : GIGABYTE Product code: G34WQCP EK

Product name: G34WQCP 34" UWQHD Curved Gaming Monitor - 3440  $\times$  1440, 1500R, 180Hz, 1ms, 350 cd/m2, AMD FreeSync Premium, DisplayHDR 400, HDMI 2.0, Displayport 1.4

- 34-inch 1500R VA panel with 21:9 WQHD resolution
- 180Hz refresh rate, 1ms response time
- Color Saturation: 90% DCI-P3 / 120% sRGB
- Color depth: 8 bit
- Ergonomic design: Tilt and height adjustments
- Supports DisplayHDR 400, AMD FreeSync Premium

G34WQCP 34" WQHD Curved Gaming Monitor -  $3440 \times 1440$ , 1500R, 180Hz, 1ms, 350 cd/m2, AMD FreeSync Premium, DisplayHDR 400, HDMI 2.0, Displayport 1.4

GIGABYTE G34WQCP 34" UWQHD Curved Gaming Monitor - 3440 x 1440, 1500R, 180Hz, 1ms, 350 cd/m2, AMD FreeSync Premium, DisplayHDR 400, HDMI 2.0, Displayport 1.4:

With the ultrawide QHD screen, 180Hz refresh rate, and 1ms response time, GIGABYTE G34WQCP immerses you in details for gameplay. Featuring 90% DCI-P3 color, 8-bit color depth, AMD FreeSync Premium, flicker-free, and TÜV-certified low blue light technology, it delivers a stutter-free viewing experience without straining your eyes.





| Display                        |   | Ports & interfaces                        |              |
|--------------------------------|---|---|--------------|
| Display diagonal *             | 86.4 cm (34")   | DisplayPort version                       | 1.4          |
| Display resolution *           | 3440 x 1440 pixels  | Audio input                               | ✓            |
| HD type *                      | UltraWide Quad HD   | Headphone out *                           | <b>✓</b>     |
| Native aspect ratio *          | 21:9  | AC (power) in                             | <b>✓</b>     |
| Display technology *           | LED   | , ,                                       |              |
| Panel type *                   | VA  | Ergonomics                                |              |
| Backlight type                 | Edge LED  | VESA mounting *                           | ✓            |
| Touchscreen *                  | ×   | Panel mounting interface                  | 100 x 100 mm |
| Display brightness (typical)   | 350 cd/m <sup>2</sup>   | Cable lock slot *                         | ✓            |
| Response time *                | 1 ms  | Cable lock slot type                      | Kensington   |
| Display surface                | Matt  | Height adjustment *                       | ✓            |
| Screen shape *                 | Curved  | Adjustable height (max)                   | 10 cm        |
| Screen curvature rating        | 1500R   | Pivot                                     | ×            |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 480, 800 x<br>600 (SVGA), 1024 x 768 (XGA),<br>1280 x 720 (HD 720), 1440 x 900<br>(WXGA+), 1600 x 900, 1680 x 1050<br>(WSXGA+), 1920 x 1080 (HD 1080),<br>2560 x 1440, 3440 x 1440 | Swivelling                                | ×            |
|                                |   | Tilt adjustment                           | ··           |
|                                |   | Tilt angle range                          | -5 - 20°     |
|                                |   | On Screen Display (OSD)                   | ✓            |
| Contrast ratio (typical) *     | 4000:1  | Plug and Play                             | <b>✓</b>     |
| Maximum refresh rate *         | 180 Hz  | Flug and Flay                             | •            |
| Viewing angle, horizontal      | 178°  | Power                                     |              |
| Viewing angle, vertical        | 178°  | Energy efficiency class (SDR) *           | G            |
| Display number of colours *    | 16.7 million colours  | Energy efficiency class (HDR) *           | G            |
| Response time (fast)           | 1 ms  | Energy consumption (SDR) per 1000 hours * | 32 kWh       |
| SmartResponse                  | 1 ms  |   |              |
| Pixel pitch                    | 0.23175 x 0.23175 mm  | Energy consumption (HDR) per 1000 hours * | 63 kWh       |
| Viewable size, horizontal      | 79.7 cm   | Power consumption (typical) *             | 34 W         |
| Viewable size, vertical        | 33.4 cm   | Power consumption (standby) *             | 0.5 W        |
| Display diagonal (metric)      | 86 cm   | Power consumption (off)                   | 0.3 W        |
|                                |   | •   |              |

| Display  |   | Power   |  |
|--|---|---|--|
| Supported High Dynamic Pange (HDP)   | ✓ DisplayHDR 400  | AC input voltage<br>AC input frequency<br>Energy efficiency scale   | 100 - 240 V<br>50/60 Hz<br>A to G                      |
| Colour depth   | 8 bit   | Weight & dimensions   |  |
| Colour gamut standard sRGB coverage (typical)                                  | sRGB<br>120%  | Width (with stand)<br>Depth (with stand)  | 808.9 mm<br>234.8 mm                                   |
| Performance  |   | Height (with stand)   | 488.8 mm   |
| NVIDIA G-SYNC *  AMD FreeSync *  AMD FreeSync type  VESA Adaptive Sync support | ×<br>✓ FreeSync Premium ✓                                     | Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand) | 8.34 kg<br>808.9 mm<br>115.7 mm<br>363.5 mm<br>6.22 kg |
| Flicker-free technology  | ✓   | Packaging data  |  |
| Low Blue Light technology  Multimedia  | <b>,</b>  | Package width<br>Package depth  | 995 mm<br>565 mm                                       |
| Number of speakers<br>RMS rated power<br>Built-in speaker(s) *                 | 2<br>2 W  | Package height Package weight Package type  | 196 mm<br>11.2 kg<br>Box                               |
| Built-in camera *  | ×   | Packaging content   |  |
| Design  Market positioning *   | Gaming  | Stand included Cables included  | ✓<br>AC, DisplayPort, HDMI                             |
| Product colour *   | Black   | Other features  |  |
| Ports & interfaces   |   | Warranty period   | 3 year(s)  |
| Built-in USB hub *   | x   | Logistics data  |  |
| DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity         | <ul><li>X</li><li>✓</li><li>2</li><li>2.0</li><li>2</li></ul> | Products per shipping (inner) case  | 1 pc(s)  |



4719331861063

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.