



DELL S Series S3422DWG LED display 86,4 cm (34") 3440 x 1440 pixels Wide Quad HD LCD Noir

Marque : DELL

Famille de produit: S Series

Code produit: DELL-S3422DWG

Nom du produit : S3422DWG

- 86.4cm (34") Wide Quad HD 3440 x 1440 LED VA
- 1ms, 21:9, 400cd/m², 3000:1
- USB, HDMI, DisplayPort
86.4cm (34") Wide Quad HD 3440 x 1440 LED VA, 21:9, 400cd/m², 16.7M, 1ms, 178°/178°, 3000:1

DELL S Series S3422DWG LED display 86,4 cm (34") 3440 x 1440 pixels Wide Quad HD LCD Noir:

Écran WQHD incurvé 34" avec écran VESA HDR 400, taux d'actualisation de 144 Hz offrant une expérience de gaming vraiment immersive.

DELL S Series S3422DWG. Taille de l'écran: 86,4 cm (34"), Résolution de l'écran: 3440 x 1440 pixels, Type HD: Wide Quad HD, Technologie d'affichage: LCD, Temps de réponse: 1 ms, Ratio de format d'image: 21:9, Angle de vision horizontal: 178°, Angle de vision vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). Montage VESA, Réglage de la hauteur. Couleur du produit: Noir



Display		Ergonomics	
Display diagonal *	86.4 cm (34")	VESA mounting *	✓
Display resolution *	3440 x 1440 pixels	Panel mounting interface	100 x 100 mm
HD type *	Wide Quad HD	Cable lock slot *	✓
Native aspect ratio *	21:9	Height adjustment *	✓
Display technology *	LCD	Adjustable height (max)	10 cm
Panel type *	VA	Pivot	✗
Backlight type	LED	Swivelling	✗
Touchscreen *	✗	Tilt adjustment	✓
Display brightness (typical)	400 cd/m²	Tilt angle range	-5 - 21°
Response time *	1 ms	On Screen Display (OSD)	✓
Anti-glare screen	✓	Plug and Play	✓
Screen shape *	Curved		
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1440p, 2160p	Power	
Aspect ratio	21:9	Energy efficiency class (SDR) *	F
Contrast ratio (typical) *	3000:1	Energy efficiency class (HDR) *	G
Maximum refresh rate *	144 Hz	Energy consumption (SDR) per 1000 hours *	30 kWh
Viewing angle, horizontal	178°	Energy consumption (HDR) per 1000 hours *	71 kWh
Viewing angle, vertical	178°	Power consumption (typical) *	29.9 W
Display number of colours *	16.7 million colours	Power consumption (standby) *	0.3 W
Response time (fast)	8 ms	Power consumption (max)	90 W
Pixel pitch	0.23175 x 0.23175 mm	Power consumption (off)	0.2 W
Pixel density	109 ppi	AC input voltage	100 - 240 V
Horizontal scan range	29 - 200 kHz	AC input frequency	50 - 60 Hz
Vertical scan range	48 - 144 Hz	Power supply type	Internal
Viewable size, horizontal	79.7 cm	European Product Registry for Energy Labelling (EPREL) code	463492
Viewable size, vertical	33.4 cm		
Viewable size diagonal	86.4 cm		

Display		Operational conditions	
High Dynamic Range (HDR) supported	✓	Operating temperature (T-T)	0 - 40 °C
High Dynamic Range (HDR) technology	DisplayHDR 400	Storage temperature (T-T)	-20 - 60 °C
Colour gamut standard	DCI-P3	Operating relative humidity (H-H)	10 - 80%
Colour gamut	90%	Storage relative humidity (H-H)	10 - 90%
sRGB coverage (typical)	99%	Operating altitude	0 - 5000 m
		Non-operating altitude	0 - 12192 m
Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	807.9 mm
AMD FreeSync *	✓	Depth (with stand)	237.6 mm
AMD FreeSync type	FreeSync Premium Pro	Height (with stand)	527.3 mm
Flicker-free technology	✓	Weight (with stand)	10.1 kg
Low Blue Light technology	✓	Width (without stand)	807.9 mm
		Depth (without stand)	85.8 mm
Multimedia		Height (without stand)	366.4 mm
Built-in speaker(s) *	✗	Weight (without stand)	7.71 kg
Built-in camera *	✗	Bezel width (side)	8.49 mm
		Bezel width (top)	8.45 mm
Design		Bezel width (bottom)	2.42 cm
Market positioning *	Gaming	Packaging data	
Product colour *	Black	Package width	468.1 mm
Front bezel colour	Black	Package depth	950 mm
Detachable stand	✓	Package height	225 mm
Feet colour	Black	Package weight	14.9 kg
Ports & interfaces		Packaging content	
Built-in USB hub *	✓	Stand included	✓
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Cables included	AC, DisplayPort, HDMI, USB
USB upstream port type	USB Type-B	Quick start guide	✓
Number of upstream ports	1	Sustainability	
USB Type-A downstream ports quantity	4	Doesn't contain	PVC/BFR
HDMI *	✓	Other features	
HDMI ports quantity	2	Heavy metals free	Hg (mercury)
HDMI version	2.0	Compliance certificates	RoHS
DisplayPorts quantity	1	Logistics data	
DisplayPort version	1.4	Harmonized System (HS) code	85285210
Audio output	✓		
Headphone out *	✓		
HDCP	✓		
Network			
Wi-Fi	✗		



5397184504963



5704174785347



5715063644201

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-JAN-2025. Prints or copies of Information are only valid on the printed Publication date