Viewsonic PX701-4K vidéo-projecteur Projecteur à focale standard 3200 ANSI lumens DMD UHD 4K (3840x2160) Blanc

Marque : Viewsonic Code produit: PX701-4K

Nom du produit : PX701-4K

- Une véritable expérience visuelle 4K HDR
- Entrée ultra-rapide de 5 ms et taux de rafraîchissement élevé de 240 Hz
- Wraping, Keystone vertical automatique et Keystone Horizontal et Vertical pour une installation flexible
- 3 200 ANSI Lumens pour des images lumineuses dans tous les types d'environnement
- Un écran plus grand à un coût par pouce plus avantageux
- Une durée de vie de la lampe de 20 000 heures pour une plus grande efficacité énergétique
 0.47" 4K-UHD, DC3, 3200 Lm, 12000:1, 1.07M, 10 W, 203W, 1.1 X, HDMI, 3.5 mm, USB Type A, RS232, 100-240V, 50/60Hz, 2.8 kg



Projector		Network	
.,	762 - 7620 mm (30 - 300") 1 - 10.96 m	Wi-Fi *	×
		Storage	
Projector brightness * Projection technology *	3200 ANSI lumens DMD	Card reader integrated *	×
Projector native resolution *	UHD 4K (3840x2160)	Features	
Contrast ratio (typical) *	12000:1	Noise level (economic mode)	27 dB
Number of colours	1.07 billion colours	HDCP	✓
Horizontal scan range Vertical scan range	15 - 129 kHz 23 - 240 Hz	On Screen Display (OSD)	✓
Keystone correction, vertical	-40 - 40°		Arabic, Simplified Chinese,
Matrix type	DMD		Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish,
Light source		On Screen Display (OSD) languages	French, Greek, Indonesian, Italian, Japanese, Korean, Polish,
Light source type *	Lamp		Portuguese, Russian, Swedish, Thai,
Service life of light source *	6000 h	Number of OSD languages	Turkish, Vietnamese 23
Service life of light source (economic mode)	20000 h	Noise level *	31 dB
Lamp power	203 W	Separate H/V sync	✓
Lens system		High Dynamic Range (HDR) supported	✓
Focus *	Auto	High Dynamic Range (HDR)	Hybrid Log-Gamma (HLG)
Focal length range	15.843 - 17.445 mm	technology	Trybha Eog-Gariina (TEG)
Aperture range (F-F)	2 - 2.05	Multimedia	
Zoom capability Zoom ratio	1.1:1	Built-in speaker(s) *	✓
Digital zoom	2x	RMS rated power	10 W
Optical zoom	1.1x	Design	
Throw ratio	1.5-1.65	Market positioning *	Gaming
Offset	120%	Product type *	Standard throw projector
Video		Product colour * Placement	White Desktop
Analog signal format system *	NTSC, PAL, SECAM	Cable lock slot	✓ Vesktop
Full HD *	✓	Cable lock slot type	Kensington
3D *	X	Display	
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA), 3840 x 2160	Built-in display *	×
Supported video modes	720p, 1080i, 1080p, 2160p	Power	
Ports & interfaces		Power source *	AC
HDMI connector type	Full-size	Power consumption (typical) *	290 W
HDMI version	2.0b	Power consumption (standby) *	0.5 W
USB 2.0 ports quantity	1	AC input voltage	100-240 V
Serial interface type *	RS-232		

Ports & interfaces		Power	
HDMI ports quantity * DVI port *	2 X X	AC input frequency	50 - 60 Hz
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Weight & dimensions	
AC (power) in	✓	Width	312 mm
Network		Depth	222 mm
Smart TV *	×	Height	108 mm
Ethernet LAN *	×	Weight *	2.8 kg
		Packaging content	
		Remote control included *	1
		Cables included	AC
		Technical details	
		Refresh rates	240 Hz
		Logistics data	
		Quantity per pack Harmonized System (HS) code	1 pc(s) 85286200

