

GIGABYTE AORUS FO32U EK écran plat de PC 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD OLED Noir

Marque : GIGABYTE

Code produit: FO32U EK

Nom du produit : AORUS FO32U 31,5" Moniteur de jeu UHD - 3840 x 2160 (UHD), 165Hz, 0,03ms, 250 cd/m², FreeSync Premium Pro, DisplayHDR True Black 400, HDMI 2.1, DisplayPort 1.4

- Panneau OLED de 32 pouces avec résolution UHD de 3840x2160
 - Taux de rafraîchissement de 165 Hz, temps de réponse de 0,03 ms
 - Affichage 10 bits avec gamme de couleurs DCI-P3 de 99%
 - Conception ergonomique : Réglages de la hauteur, de l'inclinaison, du pivotement et de la rotation
 - Contrôle KVM multiplateforme
 - Affichage VESAHDR True Black 400, AMD FreeSync Premium Pro, ClearMR 9000
- AORUS FO32U 31,5" Moniteur de jeu UHD - 3840 x 2160 (UHD), 165Hz, 0,03ms, 250 cd/m², FreeSync Premium Pro, DisplayHDR True Black 400, HDMI 2.1, DisplayPort 1.4


GIGABYTE AORUS FO32U EK écran plat de PC 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD OLED Noir:

Découvrez le dernier cri en matière de jeu avec l'AORUS FO32U. Conçu pour renforcer votre avantage compétitif avec la technologie QD-OLED, un taux de rafraîchissement remarquable de 165 Hz, des fonctionnalités tactiques exclusives et des soins OLED basés sur l'IA, l'écran gaming AORUS FO32U vous permet de triompher sans compromis.



Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	HDMI version	2.1
Display resolution *	3840 x 2160 pixels	DisplayPorts quantity	1
HD type *	4K Ultra HD	DisplayPort version	1.4
Native aspect ratio *	16:9	Headphone out *	✓
Display technology *	OLED	Microphone in	✓
Panel type *	OLED	DC-in jack	✓
Touchscreen *	✗		
Display brightness (typical)	250 cd/m²		
Response time *	0.03 ms		
Response time measurement type	GTG (Gray to Gray)		
Anti-glare screen	✓		
Screen shape *	Flat		
Contrast ratio (dynamic)	1500000:1		
Maximum refresh rate *	165 Hz		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	1.07 billion colours		
Pixel pitch	0.181 x 0.181 mm		
Viewable size, horizontal	69.9 cm		
Viewable size, vertical	39.5 cm		
High Dynamic Range (HDR) supported	✓		
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black		
Colour depth	10 bit		
Colour gamut standard	DCI-P3		
Colour gamut	99%		
Performance		Ergonomics	
NVIDIA G-SYNC *	✗	VESA mounting *	✓
		Panel mounting interface	100 x 100 mm
		Cable lock slot *	✓
		Cable lock slot type	Kensington
		Height adjustment *	✓
		Adjustable height (max)	13 cm
		Pivot	✓
		Pivot angle	0 - 90°
		Swivelling	✓
		Tilt adjustment	✓
		Tilt angle range	-5 - 20°
		Power	
		Energy efficiency class (SDR) *	G
		Energy efficiency class (HDR) *	G
		Energy consumption (SDR) per 1000 hours *	38 kWh
		Energy consumption (HDR) per 1000 hours *	42 kWh
		Power consumption (typical) *	57 W
		Power consumption (standby) *	0.5 W

Performance		Power	
AMD FreeSync *	✓	Power consumption (PowerSave)	0.3 W
AMD FreeSync type	FreeSync Premium Pro	AC input voltage	100 - 250 V
Flicker-free technology	✓	AC input frequency	50/60 Hz
Multimedia		Energy efficiency scale	A to G
Number of speakers	2	Weight & dimensions	
RMS rated power	10 W	Width (with stand)	718.3 mm
Built-in speaker(s) *	✓	Depth (with stand)	158.6 mm
Built-in camera *	✗	Height (with stand)	613.6 mm
Design		Weight (with stand)	8.53 kg
Market positioning *	Gaming	Width (without stand)	718.3 mm
Product colour *	Black	Depth (without stand)	57.2 mm
Ports & interfaces		Height (without stand)	417.5 mm
Built-in USB hub *	✓	Weight (without stand)	6.2 kg
USB upstream port type	USB Type-A, USB Type-C	Packaging data	
Number of USB Type-B upstream ports quantity	1	Package width	980 mm
Number of USB Type-C upstream ports quantity	1	Package depth	190 mm
USB Type-A downstream ports quantity	2	Package height	580 mm
USB Type-C DisplayPort Alternate Mode	✓	Package weight	13.2 kg
USB Power Delivery (USB PD)	✓	Package type	Box
USB Power Delivery up to	18 W	Packaging content	
DVI port	✗	Cables included	DisplayPort, HDMI, Power, USB
HDMI *	✓	Other features	
HDMI ports quantity	2	Hardware calibration	✓
		Warranty period	3 year(s)
		Logistics data	
		Products per shipping (inner) case	1 pc(s)



4719331861940

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-MAR-2025. Prints or copies of Information are only valid on the printed Publication date