


GIGABYTE B760 GAMING X DDR4 moederbord Intel B760 Express LGA 1700 ATX

Merk : GIGABYTE

Artikelcode: B760 GAMING X DDR4


Productnaam : B760 GAMING X DDR4

GIGABYTE B760 GAMING X DDR4. Processor socket: LGA 1700, Compatibele processors: Intel® Celeron®, Intel® Pentium® Gold, Supported processor sockets: LGA 1700. Ondersteunde geheugen types: DDR4-SDRAM, Maximum intern geheugen: 128 GB, Geheugen slots type: DIMM. Ondersteunde opslagstationinterfaces: M.2, SATA III, Ondersteunde types opslag-drives: HDD & SSD, Soorten RAID: 0, 1, 5, 10. Grafische adapter-familie: Intel, Grafische adapter: HD Graphics, Maximum resolutie: 4096 x 2304 Pixels. USB-connectortype: USB Type-A, USB Type-C



Processor		Aansluitingen achterzijde	
Processor socket *	LGA 1700	Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type A *	1
Compatibele processors *	Intel® Celeron®, Intel® Pentium® Gold	Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type C *	1
Supported processor sockets	LGA 1700	Aantal Ethernet LAN (RJ-45)-poorten *	1
Maximaal intern geheugen ondersteund door processor	128 GB	Aantal HDMI-poorten *	1
Geheugen Ondersteunde geheugen types * DDR4-SDRAM Aantal geheugenslots * 4 Geheugen slots type DIMM Geheugen kanaal Dubbelkanaals ECC compatibility Niet-ECC Non-ECC ✓ Supported memory clock speeds 2133,2400,2666,2933,3000,3200,3300,3333,3400,3466,3600,3666,3733,3800,3866,4000,4133,4266,4300,4400,4500,4600,4700,4800,4933,5000,5133,5333 MHz Ondersteunde geheugenfrequentie (max) 533 MHz Maximum intern geheugen * 128 GB Niet gebufferd geheugen ✓		HDMI versie	2.0
		Aantal DisplayPorts	1
		DisplayPort versie	1.2
		USB-connectortype	USB Type-A, USB Type-C
Opslag-controllers		Netwerk	
Ondersteunde types opslag-drives	HDD & SSD	Ethernet LAN	✓
Ondersteunde opslagstationinterfaces *	M.2, SATA III	Ethernet interface type	2.5 Gigabit Ethernet
Maximum aantal schijven per behuizing	4	Wi-Fi *	✗
Aantal opslagkaarten ondersteund	78	Kenmerken	
RAID support	✓	Chipset moederbord *	Intel B760 Express
Soorten RAID	0, 1, 5, 10	Audio-uitgangskanalen *	7.1 kanalen
		Kleur van het product	Bruin
Grafisch		PC gezondheids monitor	Ventilator, Temperatuur, Spanning, Water cooling
Ondersteuning voor parallel processing *	Niet ondersteund	Component voor *	PC
Ingebouwde grafische adapter	✓	Moederbord form factor *	ATX
Grafische adapter-familie	Intel	Moederbord chipset familie *	Intel
Grafische adapter	HD Graphics	Ondersteunt Windows	Windows 10 x64, Windows 11 x64
Maximum resolutie	4096 x 2304 Pixels	Uitbreidingsmodules	
HDCP	✓	PCI Express x16 (Gen 3.x) slots	2
DirectX versie	12.0	PCI Express x16 (Gen 4.x) sleuven	1
On-board graphics adapter model	Intel® HD Graphics	Aantal M.2 (M) slots	3
Interne aansluitingen		BIOS	
USB 2.0 aansluitingen *	4	BIOS type *	EFI AMI
		Grootte BIOS-geheugen	256 Mbit

Interne aansluitingen		BIOS	
USB 3.2 Gen 1 (3.1 Gen 1)-aansluitingen *	2	ACPI version	5.0
Aantal SATA III connectors *	4	Clear CMOS jumper	✓
Totaal aantal SATA-connectoren	4	Versie Desktop Management Interface (DMI)	2.7
S/PDIF uitgang	✓	Systeem Management BIOS (SMBIOS) versie	2.7
Audioconnector	✓	Logistics data	
Aansluiting voor audiopaneel aan voorzijde	✓	Land van herkomst	China
Voorpaneel-connector	✓	Producten per (binnenste) verzendverpakking	1 stuk(s)
Aansluiting voor ATX voeding (24-pin)	✓	Accu/Batterij	
Aansluiting voor CPU koeler	✓	Gewicht batterij	3 g
Aansluitingen voor behuizingsventilatoren	3	Lithiumgewicht per batterij	0,07 g
EPS power connector (8-pin)	✓	Aantal cellen in de batterij	1
TPM connector	✓	Energie-opslagtechnologie accu/batterij	Lithium-Manganees Dioxide (LiMnO2)
Serial port headers	1	Type accu/batterij	CR2032
RGB LED-aansluitrail	✓	Verpakking	
Aansluitingen achterzijde		Breedte van de verpakking	335 mm
Aantal USB 2.0-poorten *	5	Diepte van de doos	270 mm
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type A *	2	Hoogte van de verpakking	80 mm
		Gewicht pakket	1,79 kg
		Gewicht en omvang	
		Breedte	305 mm
		Diepte	244 mm
		Hoogte	35 mm
		Inhoud van de verpakking	
		Batterijen meegeleverd	✓
		Meegeleverde software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technische details	
		Garantieperiode	3 jaar



4719331850906

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-OCT-2024. Prints or copies of Information are only valid on the printed Publication date