

## AOC G2 27G2SPAE/BK LED display 68,6 cm (27") 1920 x 1080 Pixels Full HD Zwart, Rood

Merk: AOC Productfamilie: G2 Artikelcode: 27G2SPAE/BK

**Productnaam:** 27G2SPAE/BK

Screen size (inch) 27, Panel resolution 1920x1080, Refresh rate 165 Hz, Response time MPRT 1 ms, Panel type IPS, HDMI HDMI 1.4 x 2, Display Port DisplayPort 1.2 x 1, D-SUB (VGA) 1x, Sync technology (VRR) Adaptive Sync

AOC G2 27G2SPAE/BK LED display 68,6 cm (27") 1920 x 1080 Pixels Full HD Zwart, Rood:

## 27" IPS-display met 165 Hz verversfrequentie, 1 ms MPRT

Competitieve gamers zullen dol zijn op dit kleuraccurate 27-inch IPS-scherm met zijn soepele 165 Hz verversingsfrequentie, 1 ms MPRT-responstijd en FreeSync Premium-ondersteuning. Wordt geleverd met een randloos ontwerp met rode accenten.


AOC G2 27G2SPAE/BK. Beeldschermdiagonaal: 68,6 cm (27"), Resolutie:  $1920 \times 1080 \text{ Pixels}$ , HD type: Full HD, Display technologie: LED, Responstijd: 1 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal:  $178^\circ$ , Kijkhoek, verticaal:  $178^\circ$ . Ingebouwde luidsprekers. VESA-montage. Kleur van het product: Zwart, Rood





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio *	68.6 cm (27") 1920 x 1080 pixels Full HD 16:9	Headphone out * Headphone connectivity Microphone in AC (power) in	✓ 3.5 mm ✓
Display technology * Panel type *	LED IPS	Ergonomics	
Backlight type	W-LED	VESA mounting *	<b>✓</b>
Touchscreen *	X	Panel mounting interface	100 x 100 mm
Display brightness (typical)	250 cd/m <sup>2</sup>	Cable lock slot *	<b>✓</b>
Response time *	1 ms	Cable lock slot type	Kensington
Anti-glare screen	✓	Height adjustment *	×
Screen shape *	Flat	Tilt adjustment	✓
Supported graphics resolutions	1920 x 1080 (HD 1080)	Tilt angle range	-5 - 23°
Aspect ratio	16:9	On Screen Display (OSD)	✓
Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal	1000:1 80000000:1 165 Hz 178°	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish
Viewing angle, vertical	178°	Number of OSD languages	16
Display number of colours * Pixel density	16.7 million colours 82 ppi	Power	
Display diagonal (metric)	68.6 cm	Energy efficiency class (SDR) *	E
sRGB coverage (typical)	100%	Energy efficiency class (HDR) *	F
DCI-P3 coverage	94%	Energy consumption (SDR) per 1000 hours *	21 kWh
Performance		Energy consumption (HDR) per	26 kWh
AMD FreeSync *	✓	1000 hours *	20.W
AMD FreeSync refresh rate range	48 - 165 Hz	Power consumption (typical) *	28 W
VESA Adaptive Sync support	✓	Power consumption (standby) *	0.3 W

licker-free technology  w Blue Light technology  w Brower Supply type  Energy efficiency scale  European Product Registry for Energy Labelling (EPREL) code  Buttimedia  umber of speakers  2 External power adapter  X  Weight & dimensions  uilt-in speaker(s)*  w Width (with stand)  612.5 mm  uilt-in camera*  X Depth (with stand)  612.5 mm  wesign  Weight (with stand)  4.53 kg  Pepth (with stand)  4.53 kg  Pepth (with out stand)  4.53 kg  Pepth (with uith stand)  4.53 kg  Pepth (with uith stand)  4.53 kg  Pepth (with uith uith uith uith uith uith uith u				
now Blue Light technology     Y     Power supply type     Internal       name mode     Y     Energy efficiency scale     A to G       cultimedia     Leuropean Product Registry for Energy Labelling (EPREL) code     1237451       umber of speakers     2     External power adapter     X       MS rated power     2 W     Weight & dimensions       uilt-in speaker(s) *     Y     Width (with stand)     612.5 mm       uilt-in camera *     X     Depth (with stand)     227.4 mm       esign     Weight (with stand)     4.53 kg       larket positioning *     Gaming     Depth (without stand)     48.8 mm       larket positioning *     Gaming     Peckaging data       ront bezel colour     Black, Red     Package width     730 mm       eter colour     Black, Red     Package depth     187 mm       eet colour     Black, Red     Package weight     520 mm       orts & interfaces     Package weight     6.86 kg       uilt-in USB hub *     X     Packaging content       GA (D-Sub) ports quantity     1     Cables included     AC       DMI *     Y     DisplayPort cable length     1.8 m       DMI yorts quantity     2     HDMI cable length     1.8 m       DMI yortsion     1.4     Certification </td <td>Performance</td> <td></td> <td>Power</td> <td></td>	Performance		Power	
A to G  Buttimedia  Liuttimedia  Liuttimedia	Flicker-free technology	<b>✓</b>	Power consumption (off)	0.3 W
Furopean Product Registry for Energy Labelling (EPREL) code  External power adapter  External power ad	Low Blue Light technology	<b>✓</b>	Power supply type	Internal
Lultimedia  Lumber of speakers  Lumber of speakers  Lumber of speakers  Lumber of speakers  Lulti-in speaker(s)*  Lulti-in speaker(s)*  Lulti-in camera*  Lulti-in ush camera*	Game mode	<b>✓</b>	Energy efficiency scale	A to G
MS rated power 2 W  Weight & dimensions  Width (with stand) 612.5 mm  Depth (with stand) 227.4 mm  Weight (with stand) 4.53 kg  Depth (with stand) 48.8 mm  Power of the power	Multimedia			1237451
weight & dimensions  wilt-in speaker(s) *  wilt-in camera *  X  Depth (with stand)  Depth (with stand)  227.4 mm  Weight (with stand)  4.53 kg  Depth (with positioning *  Gaming  Depth (without stand)  Depth (without stand)  Black, Red  Packaging data  roduct colour *  Black, Red  Package width  730 mm  Package depth  Package depth  Package height  Package weight  Fackage weight  weight	Number of speakers	2	External power adapter	×
width (with stand) 227.4 mm  pesign Weight (with stand) 227.4 mm  Weight (with stand) 4.53 kg  Depth (with out stand) 48.8 mm  Poduct colour * Black, Red Packaging data  Front bezel colour Black/Red Package width 730 mm  Petachable stand Package depth 187 mm  Peet colour Black, Red Package height 520 mm  Ports & interfaces  Package weight 6.86 kg  Packaging content  Cables included AC  DMI * V DisplayPort cable length 1.8 m  DMI ports quantity 1 DMI ports quantity 2 DMI version 1.4 DMI version 1.4 DMI cable length 1.8 m  DMI ports quantity 1 Exterior finish type Matt  Logistics data	RMS rated power	2 W	Weight & dimensions	
uilt-in camera * X Depth (with stand) 227.4 mm   esign Weight (with stand) 4.53 kg   larket positioning * Gaming Depth (without stand) 48.8 mm   roduct colour * Black, Red Packaging data   ront bezel colour Black/Red Package width 730 mm   etachable stand ✓ Package depth 187 mm   eet colour Black, Red Package height 520 mm   orts & interfaces Package weight 6.86 kg   uilt-in USB hub * X Packaging content   GA (D-Sub) ports quantity 1 Cables included AC   DMI * ✓ DisplayPort cable length 1.8 m   DMI ports quantity 2 HDMI cable length 1.8 m   DMI ports quantity 2 HDMI cable length 1.8 m   DMI version 1.4 Exterior finish type Matt   iisplayPort version 1.2 Compliance certificates CE, RoHS   udio input ✓ Certification ISO 9241-307	Built-in speaker(s) *	✓	9	612.5 mm
Weight (with stand) Ask yeight (without stand) Ask yeight (without stand) Ask yeight (without stand) Ask yeight (without stand) Ask yeight (with stan	Built-in camera *	×	,	*==·* ······
Depth (without stand)  Alarket positioning* Black, Red Black, Red Packaging data  Package width Package depth Package depth Package weight Package veight Pa	Design			4.53 kg
roduct colour * Black, Red Packaging data  ront bezel colour Black/Red Package width 730 mm  retachable stand ✓ Package depth 187 mm  retachable stand Package height 520 mm  rorts & interfaces  roll Losubly ports quantity 1  DMI * ✓ DisplayPort cable length 1.8 m  DMI ports quantity 2  DMI version 1.4  DMI version 1.4  DisplayPorts quantity 1  Exterior finish type Matt  iisplayPort version 1.2  Certification ISO 9241-307  Logistics data	<del>,</del>	Gaming	Depth (without stand)	48.8 mm
Package depth 187 mm  Package depth 520 mm  Package weight 520 mm  Package weight 6.86 kg  Packaging content  Wilt-in USB hub *  GA (D-Sub) ports quantity 1 Cables included AC  DMI *  DMI ports quantity 2 DisplayPort cable length 1.8 m  DMI ports quantity 2 DisplayPort cable length 1.8 m  DMI version 1.4  DMI version 1.4  DMI version 1.4  Compliance certificates CE, RoHS  udio input ✓ Certification ISO 9241-307  Logistics data	Product colour *	•	Packaging data	
Package depth 187 mm eet colour Black, Red Package height 520 mm orts & interfaces  Package weight 6.86 kg  Package weight 6.8	Front bezel colour	Black/Red	Package width	730 mm
Black, Red Package height Fackage weight Package weight Fackage we	Detachable stand	<b>✓</b>	3	187 mm
wilt-in USB hub * X Packaging content  GA (D-Sub) ports quantity 1 Cables included AC  DisplayPort cable length 1.8 m  DMI ports quantity 2 HDMI cable length 1.8 m  DMI version 1.4 Other features  isplayPorts quantity 1 Exterior finish type Matt  isplayPort version 1.2 Compliance certificates CE, RoHS  udio input	Feet colour	Black, Red	<u> </u>	520 mm
GA (D-Sub) ports quantity  DisplayPort cable length  DMI version  DMI version  DMI ports quantity  DMI version  DMI ports quantity  DMI version  1.4  Exterior finish type  Matt  isplayPort version  Undo input  Matt  Compliance certificates  CE, RoHS  Logistics data	Ports & interfaces		Package weight	6.86 kg
DisplayPort cable length 1.8 m  DMI ports quantity 2  DisplayPort cable length 1.8 m  DMI version 1.4  Other features  isplayPorts quantity 1  Exterior finish type Matt isplayPort version 1.2  Compliance certificates CE, RoHS udio input  Logistics data	Built-in USB hub *	×	Packaging content	
DMI ports quantity  DMI version  1.4  Other features  isplayPorts quantity  1 Exterior finish type  Matt  isplayPort version  1.2  Compliance certificates  CE, RoHS  udio input  Logistics data	VGA (D-Sub) ports quantity	1	Cables included	AC
DMI version  1.4  Other features  Exterior finish type Matt  isplayPort version 1.2  Compliance certificates CE, RoHS  udio input  Logistics data	HDMI *	<b>✓</b>	DisplayPort cable length	1.8 m
isplayPorts quantity  1 Exterior finish type Matt isplayPort version  1.2 Compliance certificates CE, RoHS udio input  Certification ISO 9241-307  Logistics data	HDMI ports quantity	2	HDMI cable length	1.8 m
isplayPort version 1.2 Compliance certificates CE, RoHS udio input Certification ISO 9241-307  Logistics data	HDMI version	1.4	Other features	
udio input  Certification  ISO 9241-307  Logistics data	DisplayPorts quantity	1	Exterior finish type	Matt
Logistics data	DisplayPort version	1.2	•	CE, RoHS
-	Audio input	✓	Certification	ISO 9241-307
Harmonized System (HS) code 85285210			Logistics data	
			Harmonized System (HS) code	85285210



4038986180566

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.