

AOC G2 Q24G2A/BK LED display 60,5 cm (23.8") 2560 x 1440 Pixels Quad HD LCD Zwart, Rood

Merk : AOC

Productfamilie: G2

Artikelcode: Q24G2A/BK

Productnaam : Q24G2A/BK

Screen size (inch) 23.8, Panel resolution 2560x1440, Max Refresh rate 165 Hz, Response time MPRT 1 ms, Panel type IPS, HDMI HDMI 2.0 x 1, DisplayPort DisplayPort 1.2 x 1, Sync technology (VRR) Adaptive Sync

AOC G2 Q24G2A/BK LED display 60,5 cm (23.8") 2560 x 1440 Pixels Quad HD LCD Zwart, Rood:

23,8" gaming monitor met 165Hz verversingsfrequentie, 1ms MPRT responstijd en Adaptive Sync

Q24G2AE/BK is een model dat geschikt is voor alle gebruikers die hoge prestaties eisen. Het beschikt over een QHD-resolutie, een lage invoervertraging en een breed kleurengamma in combinatie met een in hoogte verstelbare standaard. De verversingssnelheid van 165 Hz, de snelle reactietijd van 1 ms MPRT en de ondersteuning van Adaptive Sync-technologie van de Q24G2A/BK-monitor elimineren haperende en haperende beelden.






Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * LED backlight Backlight type Touchscreen * Display brightness (typical)	60.5 cm (23.8") 2560 x 1440 pixels Quad HD 16:9 LCD IPS ✓ W-LED × 350 cd/m ²	Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Pivot Tilt adjustment Tilt angle range On Screen Display (OSD) Plug and Play LED indicators	 Kensington 13 cm -5 - 23°
Response time * Anti-glare screen Screen shape *	4 ms ✔ Flat	Power Energy efficiency class (SDR) *	F
Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Horizontal scan range Vertical scan range Viewable size, horizontal Viewable size, vertical	1000:1 80000000:1 165 Hz 178° 16.7 million colours 0.2055 x 0.2055 mm 30 - 250 kHz 48 - 165 Hz 52.6 cm 29.6 cm	Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency	22 kWh 22 kWh 34 W 0.5 W 54 W 0.3 W 100 - 240 V 50/60 Hz
Display diagonal (metric) DDC/Cl Surface hardness sRGB coverage (typical)	ЗН	Input current Power supply type Energy efficiency scale Operational conditions Operating temperature (T-T)	1.5 A Internal A to G 0 - 40 °C

Display		Operational conditions	
NTSC coverage (typical)	102.5%	Storage temperature (T-T)	-25 - 55 °C
Adobe RGB coverage	102.3%	Operating relative humidity (H-H)	-25 - 55 °C 10 - 85%
Performance		Storage relative humidity (H-H)	5 - 93%
NVIDIA G-SYNC *	✓	Operating altitude	0 - 5000 m
NVIDIA G-SYNC type	G-SYNC Compatible	Non-operating altitude	0 - 12192 m
VESA Adaptive Sync support		Weight & dimensions	
Flicker-free technology	1	Width (with stand)	539.1 mm
Low Blue Light technology	1	Depth (with stand)	227.4 mm
Game mode	1	Height (with stand) Weight (with stand)	504.6 mm 4.78 kg
Multimedia		Width (without stand)	539.1 mm
Number of speakers	2	Depth (without stand)	47.2 mm
RMS rated power	4 W	Height (without stand)	322.1 mm
Built-in speaker(s) *	1	Weight (without stand)	3.35 kg
Built-in camera *	×	Packaging data	
Design		Package width	605 mm
Market positioning *	Gaming	Package depth	184 mm
Product colour *	Black, Red	Package height Package weight	492 mm 6.6 kg
Frameless design	1		0.0 kg
Front bezel colour	Black/Red	Packaging content	-
Detachable stand		Stand included Cables included	✓ AC
Feet colour	Black, Red	Quick start guide	
Ports & interfaces		-	•
Built-in USB hub *	×	Sustainability	-
HDMI *		Sustainability compliance	✓
HDMI ports quantity	1 2.0	Other features	
HDMI version DisplayPorts quantity	1	Low input lag	1
DisplayPort version	1.2	FPS counter	1
Headphone out *	1	Dial point	1
Headphone outputs	1	Shadow control	1
Headphone connectivity	3.5 mm	Motion blur reduction	1
HDCP	J.	Exterior finish type	Textured
HDCP version	2.2	Warranty period	3 year(s) CB, CE, Federal Communications
AC (power) in	1	Compliance certificates	Commission (FCC)
Ergonomics		Certification	ISO 9241-307, Microsoft WHQL
VESA mounting *	1		
Panel mounting interface	100 x 100 mm		
Cable management	1		

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date



4038986141208

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.