## ASUS ROG STRIX X670E-A GAMING WIFI AMD X670 Socket AM5 ATX

Merk: ASUS Artikelcode: 90MB1BM0-M0EAY0

Productnaam: ROG STRIX X670E-A GAMING WIFI

ASUS ROG STRIX X670E-A GAMING WIFI. Processorfabrikant: AMD, Processor socket: Socket AM5, Compatibele processors: AMD Ryzen™ 7. Ondersteunde geheugen types: DDR5-SDRAM, Maximum intern geheugen: 128 GB, Geheugen slots type: DIMM. Ondersteunde opslagstationinterfaces: M.2, SATA III, Ondersteunde types opslag-drives: HDD & SSD, Soorten RAID: 0, 1, 10. Ethernet interface type: 2.5 Gigabit Ethernet, LAN controller: Intel I225-V, Top Wi-Fi standard: Wi-Fi 6E (802.11ax). Component voor: PC, Moederbord form factor: ATX, Moederbord chipset familie: AMD





| Processor   |   | Rear panel I/O ports   |   |
|---|---|--|---|
| Processor manufacturer * Processor socket * Compatible processor series *                             | AMD<br>Socket AM5<br>AMD Ryzen™ 7                   | HDMI version<br>DisplayPorts quantity<br>DisplayPort version             | 2.1<br>1<br>1.4   |
| Memory  |   | Headphone outputs  | 1   |
| Supported memory types * Number of memory slots * Memory slots type Memory channels ECC compatibility | DDR5-SDRAM 4 DIMM Dual-channel ECC & Non-ECC        | Line-in<br>Microphone in<br>S/PDIF out port<br>Digital audio optical out | <ul><li>✓</li><li>✓</li><li>✓</li><li>1</li></ul>   |
| Supported memory clock speeds   | 4800,5000,5200,5400,5600,5800,6000,6200,6400<br>MHz | Network  |   |
| Maximum internal memory * Unbuffered memory   | 128 GB ✓  | Ethernet LAN<br>Ethernet interface type                                  | ✓<br>2.5 Gigabit Ethernet   |
| Storage controllers   |   | LAN controller   | Intel I225-V  |
| Supported storage drive types<br>Supported storage drive interfa<br>RAID support<br>RAID levels       | HDD & SSD  aces * M.2, SATA III  ✓  0, 1, 10        | Wi-Fi * Top Wi-Fi standard Wi-Fi standards                               | <ul> <li>✓</li> <li>Wi-Fi 6E (802.11ax)</li> <li>802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi</li> </ul> |
| Graphics  | 0, 1, 10  | Pl. starth   | 6 (802.11ax), Wi-Fi 6E (802.11ax)   |
| Parallel processing technology support *  | Not supported                                       | Bluetooth Bluetooth version  | <b>√</b><br>5.2   |
| On-board graphics card  | ×   | Features   |   |
| Internal I/O  |   | Motherboard chipset * Audio chip   | AMD X670<br>Realtek ALC4080   |
| USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1) connectors * Number of SATA III connectors             | 4<br>2<br>* 4                                       | Audio output channels * Product colour Component for *                   | 7.1 channels<br>Aluminium, Black<br>PC  |
| Front panel audio connector   | <b>√</b>  | Motherboard form factor *  Motherboard chipset family *                  | ATX<br>AMD  |
| ATX Power connector (24-pin)  | ✓   | Cooling type   | Active  |
| CPU fan connector<br>Number of chassis fan connect  | ✓ ors 5   | Windows operating systems supported                                      | Windows 10 x64, Windows 11 x64  |
| Thunderbolt headers   | 1   | Expansion slots  |   |
| 12V power connector<br>RGB LED pin header   | <b>✓</b>  | PCI Express x1 (Gen 3.x) slots<br>PCI Express x16 (Gen 3.x) slots        | 1<br>1  |

| Rear panel I/O ports   |   | Expansion slots   |                            |
|--|---|---|----------------------------|
| USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *     | 2 | PCI Express x16 (Gen 4.x) slots<br>PCI Express x16 (Gen 5.x) slots<br>Number of M.2 (M) slots | 1<br>1<br>4                |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *                              | 7 | BIOS  |                            |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * USB 3.2 Gen 2x2 Type-C ports | 1 | BIOS type * BIOS memory size  | UEFI AMI<br>256 Mbit       |
| quantity   | 1 | Clear CMOS button   | <b>✓</b>                   |
| Ethernet LAN (RJ-45) ports *   | 1 | Packaging data  |                            |
| HDMI ports quantity *  | 1 | Package width<br>Package depth<br>Package height  | 280 mm<br>265 mm<br>710 mm |
|  |   | Weight & dimensions   |                            |
|  |   | Width<br>Depth  | 305 mm<br>244 mm           |
|  |   | Packaging content   |                            |
|  |   | Cables included   | SATA                       |





4711081897323

0195553897327



195553897327

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.