



AOC G4 Q27G4XN PC-flat panel 68,6 cm (27") 2560 x 1440 Pixels Quad HD LCD Zwart, Grijs

Merk : AOC

Productfamilie: G4

Artikelcode: Q27G4XN

Productnaam : Q27G4XN

Screen size (inch) 27, Panel resolution 2560x1440, Max Refresh rate 180 Hz, Response time MPRT 0.5 ms, Panel type Fast VA, HDMI HDMI 2.0 x 2, DisplayPort DisplayPort 1.4 x 1, Sync technology (VRR) Adaptive Sync

AOC G4 Q27G4XN PC-flat panel 68,6 cm (27") 2560 x 1440 Pixels Quad HD LCD Zwart, Grijs:

Upgrade je game-ervaring met 27" QHD Fast VA met 180Hz en een hoogteverstelbare Esports-base

AOC Q27G4XN levert een scherpe resolutie van 2560 x 1440 en een vloeiende vernieuwingsfrequentie van 180 Hz. Aangedreven door een snel VA-paneel met maximaal 1 ms GtG en HDR10-ondersteuning, produceert deze monitor verbluffende beelden. Ervaar de grens van een onverslaanbare responsnelheid met een 1 ms GtG en een lage input-lag. De in hoogte verstelbare eSports-standaard is ontworpen om te winnen en biedt aanpasbaar comfort voor marathon-gamesessies. Met FreeSync Premium Certified, Adaptive eSync, flikkervrij en low blue-modus is dit jouw ultieme wapen waarmee je jouw concurrenten grondig de oren wast.



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Pivot angle	-90 - 90°
Display resolution *	2560 x 1440 pixels	Swivelling	✓
HD type *	Quad HD	Swivel angle range	-28 - 28°
Native aspect ratio *	16:9	Tilt adjustment	✓
Display technology *	LCD	Tilt angle range	-3 - 21°
Panel type *	Fast VA	On Screen Display (OSD)	✓
LED backlight	✓	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Backlight type	W-LED		
Touchscreen *	✗		
Display brightness (typical)	300 cd/m²	Number of OSD languages	19
Response time *	0.5 ms	Power	
Screen shape *	Flat	Energy efficiency class (SDR) *	E
Contrast ratio (typical) *	5000:1	Energy efficiency class (HDR) *	G
Contrast ratio (dynamic)	80000000:1	Energy consumption (SDR) per 1000 hours *	21 kWh
Maximum refresh rate *	180 Hz	Energy consumption (HDR) per 1000 hours *	32 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	32 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.5 W
Display number of colours *	16.7 million colours	Power consumption (max)	50 W
Pixel pitch	0.2331 x 0.2331 mm	Power consumption (off)	0.3 W
Horizontal scan range	30 - 255 kHz	AC input voltage	100 - 240 V
Vertical scan range	48 - 180 Hz	AC input frequency	50/60 Hz
Viewable size, horizontal	59.7 cm	Input current	1.5 A
Viewable size, vertical	33.6 cm	Power supply type	Internal
Display diagonal (metric)	68.6 cm	Energy efficiency scale	A to G
High Dynamic Range (HDR) supported	✓		
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)		
sRGB coverage (typical)	127.8%		

Performance		Power	
AMD FreeSync *	✓	European Product Registry for Energy Labelling (EPREL) code	1852121
AMD FreeSync type	FreeSync Premium	Operational conditions	
VESA Adaptive Sync support	✓	Operating temperature (T-T)	0 - 40 °C
Flicker-free technology	✓	Storage temperature (T-T)	-25 - 55 °C
Low Blue Light technology	✓	Operating relative humidity (H-H)	10 - 85%
Game mode	✓	Storage relative humidity (H-H)	5 - 93%
Design		Operating altitude	0 - 5000 m
Market positioning *	Gaming	Non-operating altitude	0 - 12192 m
Product colour *	Black, Grey	Weight & dimensions	
Frameless design	✓	Width (with stand)	613.9 mm
Front bezel colour	Black	Depth (with stand)	207.7 mm
Detachable stand	✓	Height (with stand)	516 mm
Ports & interfaces		Weight (with stand)	5.11 kg
HDMI *	✓	Width (without stand)	613.9 mm
HDMI ports quantity	2	Depth (without stand)	51.3 mm
HDMI version	2.0	Height (without stand)	366.3 mm
DisplayPorts quantity	1	Weight (without stand)	3.24 kg
DisplayPort version	1.4	Packaging data	
Headphone out *	✓	Package width	822 mm
Headphone outputs	1	Package depth	162 mm
Headphone connectivity	3.5 mm	Package height	481 mm
AC (power) in	✓	Package weight	8.15 kg
Ergonomics		Packaging content	
VESA mounting *	✓	Cables included	AC, DisplayPort, HDMI
Panel mounting interface	100 x 100 mm	Other features	
Cable lock slot *	✓	Low input lag	✓
Cable lock slot type	Kensington	FPS counter	✓
Height adjustment *	✓	Dial point	✓
Adjustable height (max)	13 cm	Shadow control	✓
Pivot	✓	Motion blur reduction	✓
		Warranty period	3 year(s)



4038986182171

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAR-2025. Prints or copies of Information are only valid on the printed Publication date