Alienware AW2725DF PC-flat panel 67,8 cm (26.7") 2560 x 1440 Pixels Quad HD QD-OLED Zwart

Merk : Alienware Artikelcode: GAME-AW2725DF

Productnaam: AW2725DF

Alienware AW2725DF. Beeldschermdiagonaal: 67.8 cm (26.7"), Resolutie: $2560 \times 1440 \text{ Pixels}$, HD type: Quad HD, Display technologie: QD-OLED, Responstijd: 0.03 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178° , Kijkhoek, verticaal: 178° . Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA-montage, In hoogte verstelbaar. Kleur van het product: Zwart





B11.		-	
Display		Ergonomics	
Display diagonal *	67.8 cm (26.7")	Panel mounting interface	100 x 100 mm
Display resolution *	2560 x 1440 pixels	Wall mountable	✓
HD type *	Quad HD	Cable management	✓
Native aspect ratio *	16:9	Cable lock slot *	✓
Display technology *	QD-OLED	Cable lock slot type	Kensington
Panel type *	OLED	Height adjustment *	√
Touchscreen *	×	Height adjustment	11 cm
Display brightness (peak)	1000 cd/m²	Pivot	<i>y</i>
Display brightness (typical)	250 cd/m ²	Pivot angle	-90 - 90°
Response time *	0.03 ms	Swivelling	-50 - 50 ✓
Screen shape *	Flat	Swiveling Swivel angle range	-20 - 20°
	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080	3 3	
Supported graphics resolutions		Tilt adjustment	5 210
3 th		Tilt angle range	-5 - 21°
	(HD 1080), 2560 x 1440	On Screen Display (OSD)	✓
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 1440p	Plug and Play	✓
Contrast ratio (dynamic)	1500000:1	LED indicators	✓
Maximum refresh rate *	359.98 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	G
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	G
Display number of colours *	1.07 billion colours	Energy consumption (SDR) per 100	•
Pixel pitch	0.2292 x 0.2292 mm	hours *	⁰ 28 kWh
Pixel density	111 ppi	Energy consumption (HDR) per	28 kWh
Horizontal scan range	27 - 621.32 kHz	1000 hours *	
Vertical scan range	48 - 360 Hz	Power consumption (typical) *	27.6 W
Viewable size, horizontal	59 cm	Power consumption (standby) *	0.5 W
Viewable size, vertical	33.4 cm	Power consumption (max)	130 W
Display diagonal (metric)	678.2 cm	Power consumption (off)	0.3 W
		AC input voltage	100 - 240 V

Display		Power	
High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Colour gamut standard Colour gamut	✓ DisplayHDR 400 True Black DCI-P3 99.3%	AC input frequency Power supply type Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code	50/60 Hz Internal A to G 1833147
Performance	33.3 //	Operational conditions	
NVIDIA G-SYNC * AMD FreeSync * AMD FreeSync type Flicker-free technology Low Blue Light technology	X FreeSync Premium Pro	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -20 - 60 °C 10 - 80% 5 - 90% 0 - 5000 m 5000 - 12192 m
Smart modes	FPS, MOBA/RTS, RPG, Sports	Weight & dimensions	
Multimedia Built-in speaker(s) * Built-in camera * Design Market positioning * Product colour * Front bezel colour Feet colour	X X Gaming Black Black Black	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand) Bezel width (side) Bezel width (top)	609.1 mm 243.7 mm 516.2 mm 6.3 kg 609.1 mm 67.6 mm 359 mm 4.3 kg 9.35 mm 5.84 mm
Ports & interfaces		Bezel width (bottom)	1.94 cm
Built-in USB hub * USB hub version USB upstream port type	✓ 2.0 / 3.2 Gen 1 (3.1 Gen 1) USB Type-B	Packaging data Package weight	9.97 kg
Number of upstream ports USB Type-A downstream ports	1	Packaging content	
quantity USB Type-C downstream ports quantity	1	Stand included Cables included Quick start quide	AC, DisplayPort, USB Type-C to DisplayPort
HDMI *	1	Sustainability	
HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	1 2.1 2 1.4	Sustainability Sustainability compliance Doesn't contain	✔ PVC/BFR
Headphone out *	X	Other features	
HDCP HDCP version AC (power) in	✓ 1.4/2.3 ✓	Heavy metals free Compliance certificates	Hg (mercury) RoHS
Ergonomics			
VESA mounting *	✓		



5397184821596

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.