

GIGABYTE B850M GAMING X WIFI6E AMD B850 Socket AM5 micro ATX

Merk : GIGABYTE

Artikelcode: B850M GAMING X WF6E


Productnaam : B850M GAMING X WIFI6E

GIGABYTE B850M GAMING X WIFI6E. Processorfabrikant: AMD, Processor socket: Socket AM5, Compatibele processors: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. Ondersteunde geheugen types: DDR5-SDRAM, Maximum intern geheugen: 256 GB, Geheugen slots type: DIMM. Ondersteunde opslagstationinterfaces: M.2, SATA III, Ondersteunde types opslag-drives: HDD & SSD, Soorten RAID: 0, 1, 10. Maximum resolutie: 4096 x 2160 Pixels. Ethernet interface type: 2.5 Gigabit Ethernet, Top Wi-Fi standard: Wi-Fi 6E (802.11ax), Wi-Fi-standaarden: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E...



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	Headphone outputs	1
Processor socket *	Socket AM5	Microphone in	✓
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Wi-Fi-AP antenna jack	2
Supported processor sockets	Socket AM5	Network	
Memory		Ethernet LAN	✓
Supported memory types *	DDR5-SDRAM	Ethernet interface type	2.5 Gigabit Ethernet
Number of memory slots *	4	Wi-Fi *	✓
Memory slots type	DIMM	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Memory channels	Dual-channel	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
ECC compatibility	Non-ECC	WLAN controller model	Realtek RTL8852CE
Supported memory clock speeds	4400,4800,5200,5600,5800,6000,6400,6600,6800,7000,7200,7400,7600,7800,7900,7950,8000,8200 MHz	Bluetooth	✓
Supported memory clock speed (max)	8200 MHz	Bluetooth version	5.3
Maximum internal memory *	256 GB	Features	
Unbuffered memory	✓	Motherboard chipset *	AMD B850
Maximum internal memory per slot	64 GB	Audio chip	Realtek ALC897
Storage controllers		Audio output channels *	7.1 channels
Supported storage drive types	HDD & SSD	Product colour	Brown
Supported storage drive interfaces *	M.2, SATA III	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Number of HDDs supported	4	Component for *	PC
Number of storage drives supported	6	Motherboard form factor *	micro ATX
RAID support	✓	Motherboard chipset family *	AMD
RAID levels	0, 1, 10	Power source type	ATX
Graphics		Windows operating systems supported	Windows 10 x64, Windows 11 x64
Parallel processing technology support *	Not supported	Expansion slots	
On-board graphics card	✗	PCI Express x16 (Gen 3.x) slots	1
Maximum resolution	4096 x 2160 pixels	PCI Express x16 (Gen 5.x) slots	1
HDCP	✓	Number of M.2 (M) slots	2
DirectX version	12.0	1st M.2 largest key size	25110
Internal I/O		1st M.2 highest PCI Express generation	5.0
USB 2.0 connectors *	2		
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1		
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1		
Number of SATA III connectors *	4		

Internal I/O		Expansion slots	
Front panel audio connector	✓	2nd M.2 largest key size	22110
Front panel connector	✓	2nd M.2 highest PCI Express generation	4.0
ATX Power connector (24-pin)	✓	BIOS	
CPU fan connector	✓	BIOS type *	UEFI AMI
Number of CPU fan connectors	2	BIOS memory size	256 Mbit
Peripheral (Molex) power connectors (4-pin)	1	ACPI version	5.0
EPS power connector (8-pin)	✓	Clear CMOS jumper	✓
Number of EPS power connectors (8-pin)	1	Clear CMOS button	✓
TPM connector	✓	Desktop Management Interface (DMI) version	2.7
Serial port headers	1	System Management BIOS (SMBIOS) version	2.7
12V power connector	✓	Logistics data	
Number of water pump connectors	2	Country of origin	China
RGB LED pin header	✓	Products per shipping (inner) case	1 pc(s)
Number of RGB LED pin headers	4	Battery	
Rear panel I/O ports		Battery weight	3 g
USB 2.0 ports quantity *	4	Lithium weight per battery	0.07 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Number of battery cells	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Battery type	CR2032
Ethernet LAN (RJ-45) ports *	1	Packaging data	
HDMI ports quantity *	1	Package width	270 mm
HDMI version	2.1	Package depth	268 mm
DisplayPorts quantity	1	Package height	68 mm
DisplayPort version	2.1	Package weight	1.75 kg
		Weight & dimensions	
		Width	244 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	1.54 kg
		Technical details	
		Warranty period	3 year(s)



4719331866433

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 08-MAR-2025. Prints or copies of Information are only valid on the printed Publication date